SAFETY DATA SHEET

Issue Date: April, 2021 **Version 1**

1. IDENTIFICATION

Product Name: Ken-Tool Elite Tire Sealant

Synonyms: Liquid thick gel

Use: Used as a Tire Pressure Management Solution/ Tire Casing Protector/ Permanent Puncture Sealant and Repair Casing Treatment.

Supplier Address: Ken-Tool
768 E. North Street
Akron, OH 44305
Tel. 330-535-7177
888-536-8665
Fax. 330-535-1345

Emergency Telephone: Mr. Noorez Devraj (Business Hours) (604) 990-0988; (After Hours) Cell (604) 396-2000

2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WHMIS

Hazard Category: Not Applicable

Hazard Classification: NON-HAZARDOUS SUBSTANCE, NON-DANGEROUS GOODS

Risk Phrases: None

Safety Phrases: None

Poison Schedule (Canada): None

3. COMPOSITION/INFORMATION ON INGREDIENTS

HS Code: 3824.99.9295

NOT CONTROLLED under WHMIS (Canada)

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WHMIS Hazard Category: Not Applicable

4. FIRST AID MEASURES

Inhalation:	No Adverse Effects Anticipated. Remove patient to fresh air. Rest and keep warm. Seek medical assistance if necessary.
Skin Contact:	No Adverse Effects Anticipated. Remove contaminated clothing and wash skin with soap and water.
Eye Contact:	No Adverse Effects Anticipated. Hold eyes open and flush with water for at least 15 minutes. Get medical assistance if necessary.
Ingestion:	No Adverse Effects Anticipated By This Route of Exposure - Incidental to Proper Industrial Handling of Product. If swallowed do NOT induce vomiting. Rinse mouth thoroughly with water.
Notes to Doctor:	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Specific Hazards:	Non-Combustible material
Fire-Fighting Advice:	No particular fire or explosion hazard
Suitable Extinguishing Media:	All extinguishing agents can be used (water, dry chemical, carbon dioxide, foam and sand).
Hazchem Code:	None Applicable
Flammability:	This product is not flammable.

6. ACCIDENTAL RELEASE MEASURES

Slippery - Clean up Leaks and Spills with Standard Absorbent Material or wash with water

7. HANDLING AND STORAGE

Handling Advice:	Not classified as a Dangerous substance for the purpose of transport, storage or handling. No special requirements.
Storage Advice:	Keep dry and avoid spillage.
Control Parameters:	No applicable occupational exposure limits

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate Engineering Controls:	None.
Respiratory Protection:	Not required under normal conditions of use.
Protection of Skin:	Not required under normal conditions of use.
Eye Protection:	Safety glasses or goggles are appropriate eye protection.
General Hygienic Measures:	Wash hands before breaks and immediately after handling the product. Avoid contact with eyes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Gel Paste	Odor:	N/A
Appearance & Color:	Black/Grey gel paste	Odor threshold:	N/A

Property	**Values**
Boiling Point:	109º C / 228ºF
Freezing Point:	- 50º C / -58º F
Flash Point:	Closed cup: 198.9º C / 390º F
Auto-Ignition temperature:	400º C / 752º F
Vapour Pressure:	<0.0050mm Hg
Vapour Density (Air = 1):	1.036
Flammability Limits:	Non-Flammable
Specific Gravity:	1.26
pH (1% dispersion):	7.5 – 8.5
Solubility in water:	Water-soluble
Corrosiveness:	Not corrosive

10. STABILITY AND REACTIVE

Stability: Stable when stored in a sealed container.

11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this material safety data sheet and label. Symptoms and effects that may arise if the product is manhandled and overexposure occurs are:

Acute Health Effects:

Ingested:	No Specific Data
Eye:	Moderate irritant to the eyes.
Skin:	Not known to cause irritation but it is possible with sensitive skin.
Inhaled:	None
Chronic:	May irritate skin on prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

All Disposal Methods Must Be In Compliance with Federal / State and Local Laws.

13. DISPOSAL CONSIDERATIONS

All Disposal Methods Must Be In Compliance with Federal / State and Local Laws

14. TRANSPORT INFORMATION

Shipping Name: Ken-Tool Elite Tire Sealant

Dangerous Goods Class: Not Applicable

Subsidiary Risk: Not Applicable

Packing Group: Not Applicable

Hazchem Code: None allocated

Road and Rail Transport: Not classified as a Dangerous Good according to Toxic Substances Control Act (TSCA) and Transport Canada.

15. REGULATORY INFORMAT

Classification: Based on available information, not classified as hazardous according to criteria of WHMIS.

16. OTHER INFORMAT

All information contained in this Safety Data Sheet is as accurate and up-to-date as possible. Ken-Tool cannot anticipate or control the conditions under which this information can be used; each user should review this information in the specific context of the intended application. Ken-Tool will not be responsible for any damage or loss of any nature resulting from the use of or reliance upon this information.

Disclaimer:
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet